



APPLICATIONS

Lamps, table lamps, wall lamps and mirror lighting.

3 W
50,000 Hours
110 ~ 240 V

cool white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	40	129	67
	E26	40	129	67
	GU10	40	129	65
	E14	40	129	66

nature white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	40	129	67
	E26	40	129	67
	GU10	40	129	65
	E14	40	129	66


warm white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	40	129	67
	E26	40	129	67
	GU10	40	129	65
	E14	40	129	66


ECOLAMP G40-3X1WB

- Wattage:3W
- Dimension:F40×H 129. 29 (mm)
- Material:Aluminium
- The Color of Lamp Body:Gold,Silver, Black
- Input Voltage:AC/ 110 V- 240V
- Luminous Flux:270lm-300lm
- Color Temperature: Cool White:6000K-7000K
Natural White:5000K-6000K
Warm White:2700K-3100K
- CRI: 75%
- Lighting Angle: 270 Degrees
- Lifespan:5 years
- LED Quantity:Three
- Working Temperature:-20~45℃
- Environmental Humidity:0%-90%
- Replaced By:40W Halogen Bulb

3W = 40W



- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON



группа компаний
transistor

Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru



ECOLAMP G60-5X1WB

- Wattage: 5W
- Dimension: F 60 × H 122 (mm)
- Material: Aluminium
- The Color of Lamp Body: Gold, Silver, Black
- Input Voltage: AC 110V-240V
- Luminous Flux: 450 lm-500 lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3100K
- CRI: 80%
- Lighting Angle: 223 Degrees
- Lifespan: 5 years
- LED Quantity: five
- Working Temperature: -20~45°C
- Environmental Humidity: 0%-90%
- Replaced By: 40W Halogen Bulb



APPLICATIONS


Lamps, table lamps, wall lamps and mirror lighting.




cool white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
500lm	E27	60	122	142
	E26	60	122	142
cct6,000k	GU10	60	122	142

nature white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
500lm	E27	60	122	142
	E26	60	122	142
cct5,000k	GU10	60	122	142

warm white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
450lm	E27	60	122	142
	E26	60	122	142
cct2,800k	GU10	60	122	142



- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON



Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru





APPLICATIONS



Lamps, table lamps, wall lamps and mirror lighting.





cool white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	70.0	164.0	268
	E26	70.0	164.1	268

nature white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	70.0	164.0	268
	E26	70.0	164.1	268


warm white

	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	70.0	164.0	268
	E26	70.0	164.1	268


ECOLAMP G70-7X1WULB

- Wattage: 7 W
- Dimension: F70 × H 164 (mm)
- Material: Aluminium
- The Color of Lamp Body Gold, Silver, Black
- Input Voltage: AC 110 V- 240V
- Luminous Flux: 630lm-700lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3100K
- CRI: 75 %
- Lighting Angle: 223 Degrees
- Lifespan: 5 years
- LED Quantity: Seven
- Working Temperature: -20~45 °C
- Environmental Humidity: 0%-90%
- Replaced By: 60W Halogen Bulb

7W = 60W



- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON



группа компаний
transistor

Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru



ECOLAMP SPOT-3X2W

- Wattage: 5.4W
- Dimension: F50 x H69 (mm)
- Material: Aluminium
- The Color of Lamp Body: Gold, Silver, Black
- Input Voltage: AC 12V- 24 V
- Luminous Flux: 330lm-390lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3100K
- CRI: 80%
- Lighting Angle: 30, 45, 50 Degrees
- Lifespan: 5 years
- LED Quantity: Three
- Working Temperature: -20~45°C
- Environmental Humidity: 0%-90%
- Replaced By: 35W Halogen Spot Light

APPLICATIONS

Lamps, table lamps, wall lamps and mirror lighting.

5.4W 50,000 Hours 12 ~ 24 V

5.4W = 35W

Ø50.0mm
69.0mm

Halogen Bulb


PMMA Optical lens better light output milky white lens for better blend of light

- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON

cool white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	MR16	50.0	73.5	73.0
		MR16	50.0	73.6	73.0
	GU10	GU10	50.0	73.5	73.0
		E26	50.0	73.51	73.1

nature white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	MR16	50.0	73.5	73.0
		MR16	50.0	73.6	73.0
	GU10	GU10	50.0	73.5	73.0
		E26	50.0	73.51	73.1

warm white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	E27	MR16	50.0	73.5	73.0
		MR16	50.0	73.6	73.0
	GU10	GU10	50.0	73.5	73.0
		E26	50.0	73.51	73.1



Россия, г.Москва sales@transistor.ru
 1-й Митинский пер.,15 www.transistor.ru
 тел. (495) 797-34-52 www.arlight.ru
 тел. (495) 926-56-50 www.haitaik.ru

ECOLAMP SPOT-3X2W-S1



- Wattage: 5.4W
- Dimension: F50×H 69 (mm)
- Material: Aluminium
- The Color of Lamp Body: Gold, Silver, Black
- Input Voltage: AC/DC 12V-24V
- Luminous Flux: 360lm-390lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3100K
- CRI: 80%
- Lighting Angle: 15, 20, 30, 40, 45, 60 Degrees
- Lifespan: 5 years
- LED Quantity: Three
- Working Temperature: -20~45°C
- Environmental Humidity: 0%-90%
- Replaced By: 35W Halogen Spot Light

APPLICATIONS

Lamps, table lamps, wall lamps and mirror lighting.



5.4W = 35W

Halogen Bulb

PMMA Optical lens better light output


milky white lens for better blend of light

- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON

cool white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
390lm	E27	50.0	69.0	58.0	
	MR16	50.0	69.0	58.0	
cct6,000k	GU10	50.0	69.0	58.0	
	E26	50.0	69.0	58.0	

nature white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
390lm	E27	50.0	69.0	58.0	
	MR16	50.0	69.0	58.0	
cct5,000k	GU10	50.0	69.0	58.0	
	E26	50.0	69.0	58.0	

warm white		Lamp base	Diameter (mm)	Length (mm)	Weight (g)
330lm	E27	50.0	69.0	58.0	
	MR16	50.0	69.0	58.0	
cct2,800k	GU10	50.0	69.0	58.0	
	E26	50.0	69.0	58.0	



Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru

ECOLAMP SPOT-1X3W

- Wattage: 3W
- Dimension: F49 x H53 (mm)
- Material: Aluminium
- The Color of Lamp Body: Gold, Silver, Black
- Input Voltage: AC/DC 12V-24V
- Luminous Flux: 140 lm-150 lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3000K
- CRI: 75%
- Lighting Angle: 45 Degrees
- Lifespan: 5 years
- LED Quantity: one
- Working Temperature: -20~45°C
- Environmental Humidity: 0% 90%
- Replaced By: 40W Halogen Spot Light



APPLICATIONS

Lamps, table lamps, wall lamps and mirror lighting.



cool white				
Luminous Flux	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
150lm	E27	49	57	44
	MR16	49	53	42
cct6.000k	GU10	49	62	45

nature white				
Luminous Flux	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
150lm	E27	49	57	44
	MR16	49	53	42
cct5.000k	GU10	49	62	45


warm white				
Luminous Flux	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
120lm	E27	49	57	44
	MR16	49	53	42
cct2.800k	GU10	49	62	45

3W = 15W

PMMA Optical lens better light output

milky white lens for better blend of light

- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON



Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru



ECOLAMP SPOT-3X1W-S1

- Wattage: 3W
- Dimension: F49 x H 47 (mm)
- Material: Aluminium
- The Color of Lamp Body: Gold, Silver, Black
- Input Voltage: AC/DC 12V-24V
- Luminous Flux: 270lm-300lm
- Color Temperature: Cool White: 6000K-7000K
Natural White: 5000K-6000K
Warm White: 2600K-3000K
- CRI: 75%
- Lighting Angle: 30, 45, 50 Degrees
- Lifespan: 5 years
- LED Quantity: three
- Working Temperature: -20~45°C
- Environmental Humidity: 0% 90%
- Replaced By: 35W Halogen Spot Light

APPLICATIONS

Lamps, table lamps, wall lamps and mirror lighting.

3 W 50,000 Hours 12 ~ 24 V

cool white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	MR16	49	47	36

nature white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	MR16	49	47	39

warm white				
	Lamp base	Diameter (mm)	Length (mm)	Weight (g)
	MR16	49	47	39


3W = 35W

Ø49mm
47.0mm

PMMA Optical lens
better light
output

Halogen Bulb
milky white lens
for better blend
of light

- NO UV or IR radiation
- 50,000 hours life time
- No harmful metal, No mercury
- instant ON



Россия, г.Москва
1-й Митинский пер.,15
тел. (495) 797-34-52
тел. (495) 926-56-50

sales@transistor.ru
www.transistor.ru
www.arlight.ru
www.haitaik.ru